according to Regulation (EC) No. 1907/2006

DOW CORNING

MOLYKOTE(R) 1102 GAS COCK GREASE

Version	Revision Date:	SDS Number:	Date of last issue: 02.05.2017
1.8	05.09.2017	1369291-00009	Date of first issue: 17.02.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier		
Trade name	:	MOLYKOTE(R) 1102 GAS COCK GREASE
Product code	:	0000000001206699

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-	:	Lubricants and lubricant additives
stance/Mixture		

1.3 Details of the supplier of the safety data sheet

Company	:	Dow Corning E rue Jules Bord B-7180 Senef	et - Parc Industriel - Zone C
Telephone	:	English Tel: Deutsch Tel: Français Tel: Italiano Tel: Español Tel:	+49 611237507 +49 611237500 +32 64511149 +32 64511170 +32 64511163
E-mail address of person responsible for the SDS	:	sdseu@dowco	prning.com

1.4 Emergency telephone number

Dow Corning (Barry U.K. 24h) Tél: +44 1446732350 Dow Corning (Wiesbaden 24h) Tél: +49 61122158 Dow Corning (Seneffe 24h) Tel: +32 64 888240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.3 Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

according to Regulation (EC) No. 1907/2006

DOW CORNING

MOLYKOTE(R) 1102 GAS COCK GREASE

Version 1.8	Revision Date: 05.09.2017		DS Number: 369291-00009	Date of last issue: 02.05.2017 Date of first issue: 17.02.2015
Chen	nical nature	:	Inorganic and org in mineral oil	anic compounds
Haza Rema	rdous components arks	:	No hazardous ing	redients

SECTION 4: First aid measures

4.1 Description of first aid measures					
Protection of first-aiders :	No special precautions are necessary for first aid responders.				
If inhaled :	If inhaled, remove to fresh air. Get medical attention if symptoms occur.				
In case of skin contact :	Wash with water and soap as a precaution. Get medical attention if symptoms occur.				
In case of eye contact :	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.				
If swallowed :	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.				

4.2 Most important symptoms and effects, both acute and delayed None known.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment
- : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing r	nedia :	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishin media	g :	None known.
5.2 Special hazards arising Specific hazards during	•	e substance or mixture Exposure to combustion products may be a hazard to health.
fighting		
Hazardous combustion ucts	prod- :	Carbon oxides Nitrogen oxides (NOx) Metal oxides

according to Regulation (EC) No. 1907/2006

DOW CORNING

MOLYKOTE(R) 1102 GAS COCK GREASE

Version 1.8	Revision Date: 05.09.2017		DS Number: 69291-00009	Date of last issue: 02.05.2017 Date of first issue: 17.02.2015
			Sulphur oxides	
Speci for fire	e for firefighters al protective equipment efighters fic extinguishing meth-	:	essary. Use perso Use extinguishing cumstances and Use water spray	ed breathing apparatus for firefighting if nec- onal protective equipment. g measures that are appropriate to local cir- the surrounding environment. to cool unopened containers. ged containers from fire area if it is safe to do

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions		Follow safe handling advice and personal protective equip- ment recommendations.
6.2 Environmental precautions Environmental precautions	:	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.
		Local authorities should be advised if significant spillages

cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Soak up with inert absorbent material. For large spills, provide dyking or other appropriate contain- ment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor- bent. Local or national regulations may apply to releases and dis- posal of this material, as well as those materials and items
		employed in the cleanup of releases. You will need to deter- mine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures

: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

according to Regulation (EC) No. 1907/2006

DOW CORNING

MOLYKOTE(R) 1102 GAS COCK GREASE

Version 1.8	Revision Date: 05.09.2017		DS Number: 369291-00009	Date of last issue: 02.05.2017 Date of first issue: 17.02.2015	
Local/Total ventilation		:	Use only with ade	equate ventilation.	
Advice on safe handling		:	practice.	ance with good industrial hygiene and safety ent spills, waste and minimize release to the	
Hygiene measures		:	Ensure that eye flushing systems and safety showers are located close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.		
7.2 Condit	ions for safe storage,	inc	luding any incom	patibilities	
Requirements for storage areas and containers		:	Keep in properly the particular nati	abelled containers. Store in accordance with onal regulations.	
Advice	e on common storage	:	Do not store with Strong oxidizing a	the following product types: agents	
7.3 Specifi	c end use(s)				
Specif	ic use(s)	:		s are for room temperature handling. Use at ture or aerosol/spray applications may re- autions.	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Molybdenum sul- fide	1317-33-5	TWA	10 mg/m3 (Molybdenum)	GB EH40
		STEL	20 mg/m3 (Molybdenum)	GB EH40

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Residual oils (petroleum), sol- vent-dewaxed	Oral (Secondary Poisoning)	9.33 mg/kg food

8.2 Exposure controls

Engineering measures

Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.

:

Personal protective equipment

Eye protection

Wear the following personal protective equipment: Safety glasses

Hand protection

according to Regulation (EC) No. 1907/2006

DOW CORNING

MOLYKOTE(R) 1102 GAS COCK GREASE

Version 1.8	Revision Date: 05.09.2017	SDS Number 1369291-000			
R	emarks	: Wash har	ds before breaks and at the end of workday.		
Skin	and body protection	: Skin should be washed after contact.			
Respiratory protection		ventilation	atory protection unless adequate local exhaust is provided or exposure assessment demonstrates sures are within recommended exposure guidelines.		
Filter type		: Combined	I particulates and organic vapour type (A-P)		

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	Grease
Colour	:	black
Odour	:	none
Odour Threshold	:	No data available
рН	:	Not applicable
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	Not applicable
Flash point	:	200 °C Method: closed cup
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	Not classified as a flammability hazard
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	No data available
Relative density	:	0.94
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n- octanol/water	:	No data available

according to Regulation (EC) No. 1907/2006

DOW CORNING

MOLYKOTE(R) 1102 GAS COCK GREASE

Version 1.8	Revision Date: 05.09.2017		S Number: 69291-00009	Date of last issue: 02.05.2017 Date of first issue: 17.02.2015	
Auto	o-ignition temperature	:	No data available	e	
Dec	omposition temperature	:	No data available	e	
	osity /iscosity, dynamic	:	Not applicable		
Exp	losive properties	:	Not explosive		
Oxidizing properties		:	The substance or mixture is not classified as oxidizing.		
9.2 Other information Molecular weight		:	No data available	e	
Self	-ignition	:		r mixture is not classified as pyrophoric. The ture is not classified as self heating.	

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions :	Can react with strong oxidizing agents. When heated to temperatures above 150 °C (300 °F) in the presence of air, product can form formaldehyde vapours. Safe handling conditions may be maintained by keeping va- pour concentrations within the occupational exposure limit for formaldehyde.
-----------------------	--

10.4 Conditions to avoid

	Conditions to avoid	: None known.
--	---------------------	---------------

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of	:	Skin contact
exposure		Ingestion

according to Regulation (EC) No. 1907/2006

DOW CORNING

MOLYKOTE(R) 1102 GAS COCK GREASE

Version 1.8	Revision Date: 05.09.2017	SDS Number: 1369291-00009	Date of last issue: 02.05.2017 Date of first issue: 17.02.2015			
		Eye contact				
Acut	e toxicity					
Not c	lassified based on av	ailable information.				
	corrosion/irritation					
Not c	lassified based on av	ailable information.				
	ous eye damage/eye					
	lassified based on av					
Resp	piratory or skin sens	itisation				
-	sensitisation					
	lassified based on av					
•	biratory sensitisation					
Not classified based on available information.						
	n cell mutagenicity lassified based on av	ailable information				
	inogenicity					
	lassified based on av	ailable information.				
Repr	oductive toxicity					
Not c	lassified based on av	ailable information.				
STO	Γ - single exposure					
Not c	lassified based on av	ailable information.				
	F - repeated exposu					
Not c	lassified based on av	ailable information.				
-	ration toxicity					
Not c	lassified based on av	allable information.				
SECTION	N 12: Ecological in	formation				
	•					
12.1 Toxic	city ata available					
		shility				
	istence and degrada ata available	ability				
	ccumulative potenti	al				
	ata available	u				
	-					

12.4 Mobility in soil

No data available

- 12.5 Results of PBT and vPvB assessment Not relevant
- **12.6 Other adverse effects** No data available

according to Regulation (EC) No. 1907/2006

DOW CORNING

MOLYKOTE(R) 1102 GAS COCK GREASE

Version	Revision Date:	SDS Number:	Date of last issue: 02.05.2017
1.8	05.09.2017	1369291-00009	Date of first issue: 17.02.2015

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.
Contaminated packaging	:	Empty containers should be taken to an approved waste han- dling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EC) No 850/2004 on persistent organic pol- lutants	:	Not applicable
Regulation (EC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals	:	Not applicable

according to Regulation (EC) No. 1907/2006

DOW CORNING

MOLYKOTE(R) 1102 GAS COCK GREASE

Version	Revision Date:	SDS Number:	Date of last issue: 02.05.2017
1.8	05.09.2017	1369291-00009	Date of first issue: 17.02.2015

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

The components of this product are reported in the following inventories:					
REACH	:	For purchases from Dow Corning EU legal entities, all ingredients are currently pre/registered or exempt under REACH. Please refer to section 1 for recommended uses. For purchases from non-EU Dow Corning legal entities with the intention to export into EEA please contact your DC representative/local office.			
PICCS	:	All ingredients listed or exempt.			
IECSC	:	All ingredients listed or exempt.			
AICS	:	All ingredients listed or exempt.			
DSL	:	All chemical substances in this product comply with the CEPA 1999 and NSNR and are on or exempt from listing on the Canadian Domestic Substances List (DSL).			

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Full text of other abbreviations

GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL	:	Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road: AICS - Australian Inventory of Chemical Substances: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration

according to Regulation (EC) No. 1907/2006

DOW CORNING

MOLYKOTE(R) 1102 GAS COCK GREASE

Version	Revision Date:	SDS Number:	Date of last issue: 02.05.2017
1.8	05.09.2017	1369291-00009	Date of first issue: 17.02.2015

to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Safety Data		eChem Portal search results and European Chemicals Agen-
Sheet		cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

GB / EN