

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

EVO-STIK STRONG STUFF SEALANT AND ADHESIVE Supercedes Date: 19-May-2017 Revision Date 27-Jul-2018 Revision Number 1.03

## Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name Pure substance/mixture EVO-STIK STRONG STUFF SEALANT AND ADHESIVE Mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use	Adhesives and/or sealants.
Uses advised against	Not to be used in production of toys or childcare articles

1.3. Details of the supplier of the safety data sheet

<u>Company Name</u> Bostik Limited Common Rd ST16 3EH Stafford UK Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address

SDS.box-EU@bostik.com

#### 1.4. Emergency telephone number

United Kingdom	+44 (1785) 272650
Ireland	+353 (1) 8624900 (Monday- Friday 9am-5pm)

## Section 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

#### 2.2. Label Elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Signal Word No signal word

**Special provisions concerning the labelling of certain mixtures** EUH208 - Contains Dioctyltinbis(acetylacetonate). May produce an allergic reaction

#### Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand P102 - Keep out of reach of children

## P280 - Wear protective gloves and eye/face protection

#### 2.3. Other Hazards

### EVO-STIK STRONG STUFF SEALANT AND ADHESIVE

Supercedes Date: 19-May-2017

#### **General Hazards**

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

#### PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB

### Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Not applicable

#### 3.2 Mixtures

Chemical Name	EC No.	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
Silane, ethenyltrimethoxy-	220-449-8	2768-02-7	1 - <3	Acute Tox. 4 (H332) Flam. Liq. 3 (H226) STOT RE 2 (H373)		01-2119513215-52 -XXXX
Bis(2,2,6,6-tetramethyl-4-pi peridyl) sebacate	258-207-9	52829-07-9	0.1 - <1	Eye Dam. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)		01-2119537297-32 -XXXX
Dioctyltinbis(acetylacetonat e)	483-270-6	54068-28-9	0.1 - <1	STOT SE 2 (H371) Skin Sens. 1 (H317)	Skin Sens. 1 :: C>=5%	01-0000020199-67 -XXXX

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classifed, however, the substance is listed in section 3 as it has an OEL.

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

# Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation	Remove to fresh air.	
Skin Contact	Wash hands thoroughly after handling. Wash with plenty of soap and water. In the case of skin irritation or allergic reactions see a doctor.	
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. If eye irritation persists: Get medical advice/attention.	
Ingestion	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms	None known.	

4.3. Indication of any immediate medical attention and special treatment needed

## EVO-STIK STRONG STUFF SEALANT AND ADHESIVE

Supercedes Date: 19-May-2017

Note to doctors

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

## Section 5: FIREFIGHTING MEASURES

#### 5.1. Extinguishing media

#### Suitable Extinguishing Media

Carbon dioxide (CO2). Extinguishing powder. Water spray or fog. Alcohol resistant foam.

Large Fire

When a large quantity of this material is involved in a major fire, consider an initial evacuation distance of 300 metres (1000 feet) in all directions.

#### **Unsuitable Extinguishing Media**

Strong water jet

#### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of toxic/corrosive gases and vapours. Carbon monoxide. Carbon dioxide (CO2). Halogenated hydrocarbons. Nitrogen oxides (NOx).

#### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment as required.

## Section 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### **Personal Precautions**

Use personal protection equipment. Avoid contact with skin, eyes or clothing.

#### For emergency responders

Use personal protection recommended in Section 8.

#### 6.2. Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas. Do not allow to enter into soil/subsoil.

#### 6.3. Methods and material for containment and cleaning up

Methods for Containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Soak up with inert absorbent material. Take up mechanically, placing in appropriate containers for disposal.

#### 6.4. Reference to other sections

Reference to other sections Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION Section 13: DISPOSAL CONSIDERATIONS

## Section 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

#### **General Hygiene Considerations**

Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Avoid contact with skin, eyes or clothing.

## EVO-STIK STRONG STUFF SEALANT AND ADHESIVE

Supercedes Date: 19-May-2017

Revision Date 27-Jul-2018 Revision Number 1.03

#### 7.2. Conditions for safe storage, including any incompatibilities

#### **Storage Conditions**

Keep away from food, drink and animal feedingstuffs. Keep from freezing.

#### 7.3. Specific end use(s)

#### **Other Information**

Recommendation(s). Observe technical data sheet.

### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

#### **Exposure Limits**

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. As Titanium dioxide (13463-67-7) is inextricably bound in the polymer matrix, it is not expected to be available as an airborne hazard (dust, mist, or spray) under normal condition of uses.

Chemical Name	European Union	Ireland	United Kingdom
Diisononyl phthalate	-	TWA: 5 mg/m <sup>3</sup>	STEL: 15 mg/m <sup>3</sup>
28553-12-0		STEL: 15 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>
Titanium dioxide	-	TWA: 10 mg/m <sup>3</sup>	STEL: 30 mg/m <sup>3</sup> total inhalable
13463-67-7		TWA: 4 mg/m <sup>3</sup>	STEL: 12 mg/m <sup>3</sup> respirable
		STEL: 30 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> total inhalable
		STEL: 12 mg/m <sup>3</sup>	TWA: 4 mg/m <sup>3</sup> respirable
Methyl alcohol	TWA: 200 ppm	TWA: 200 ppm	STEL: 250 ppm
67-56-1	TWA: 260 mg/m <sup>3</sup>	TWA: 260 mg/m <sup>3</sup>	STEL: 333 mg/m <sup>3</sup>
	S*	STEL: 600 ppm	TWA: 200 ppm
		STEL: 780 mg/m <sup>3</sup>	TWA: 266 mg/m <sup>3</sup>
		Skin nota.	Skin

#### Derived No Effect Level (DNEL) No information available

**Predicted No Effect Concentration** No information available. (PNEC)

#### 8.2. Exposure controls

**Engineering Controls** 

Ensure adequate ventilation, especially in confined areas.

#### Personal Protective Equipment

Eye/Face Protection	Wear safety glasses with side shields (or goggles). Eye protection must conform to standard EN 166
Hand Protection	Wear suitable gloves. Gloves must conform to standard EN 374.
Skin and Body Protection	Suitable protective clothing.
Respiratory Protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. Wear a respirator conforming to EN 140 with Type A/P2 filter or better. Organic gases and vapours filter conforming to EN 14387.
Recommended filter type:	Brown.

Environmental Exposure Controls Do not allow uncontrolled discharge of product into the environment.

#### Section 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

Physical State	Liquid
Appearance	Paste
Colour	White
Odour	Characteristic
Odour Threshold	No information available

#### EVO-STIK STRONG STUFF SEALANT AND ADHESIVE Supercedes Date: 19-May-2017

Revision Date 27-Jul-2018 Revision Number 1.03

Property	Values	Remarks • Method
рН	No information available	
Melting point / freezing point	No information available	
Boiling point / boiling range	No information available	
Flash Point	No information available	
Evaporation Rate	No information available	
Flammability (solid, gas)	No information available	Not applicable for liquids
Flammability Limit in Air		
Upper flammability or explosive limits	No information available	
Lower flammability or explosive limits	No information available	
Vapour Pressure	No information available	
Vapour Density	No information available	
Relative Density	1.5	
Water Solubility	No information available	
Solubility in Other Solvents	No information available	
Partition Coefficient	No information available	
Autoignition Temperature	No information available	
Decomposition Temperature	No information available	
Explosive Properties	No information available	
Oxidising Properties	No information available	
Kinematic Viscosity	No information available	
Dynamic Viscosity	No information available	
9.2. Other information Softening Point Molecular Weight Solvent content (%) Solid content (%) Density Bulk Density VOC content (%)	No information available No information available No information available No information available No data available No data available	

## Section 10: STABILITY AND REACTIVITY

#### 10.1. Reactivity

Product cures with moisture.

#### 10.2. Chemical stability

Stable under normal conditions.

Explosion Data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### 10.3. Possibility of hazardous reactions

Possibility of Hazardous Reactions None known.

#### 10.4. Conditions to avoid

Extremes of temperature and direct sunlight. Keep from freezing. Protect from moisture. Product cures with moisture.

#### 10.5. Incompatible materials

Water.

#### 10.6. Hazardous decomposition products

## EVO-STIK STRONG STUFF SEALANT AND ADHESIVE

Supercedes Date: 19-May-2017

None under normal use and recommended storage conditions.

### Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

#### Information on likely routes of exposure

#### **Product Information**

No information or data specific to the product on this toxicological (health) effect is available.

Inhalation	Based on available data, the classification criteria are not met.
Eye contact	Based on available data, the classification criteria are not met.
Skin Contact	Based on available data, the classification criteria are not met.
Ingestion	Based on available data, the classification criteria are not met.
Sensitisation	No data available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin Corrosion/Irritation	Not applicable.
Serious eye damage/eye irritation	Not applicable.
Sensitisation	Not applicable.
Germ Cell Mutagenicity	Not applicable.
Carcinogenicity	Not applicable.
Reproductive Toxicity	No information available.
STOT - Single Exposure	No information available.
STOT - Repeated Exposure	No information available.
Target Organ Effects	Eyes, Lungs, Respiratory system, Skin.
Aspiration hazard	Not applicable.
Numerical management of toxicity	

Numerical measures of toxicity

**Acute Toxicity** 

## The following values are calculated based on chapter 3.1 of the GHS documentmg/kgATEmix (inhalation-vapour)431.00 mg/l

#### **Component Information**

#### **Toxicity Data**

Data obtained on the component(s) include

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Silane, ethenyltrimethoxy- 2768-02-7	LD 50 = 7120 -7236 mg/kg (Rat) OECD 401	= 3360 µL/kg (Rabbit)	-
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate 52829-07-9	LD50 (rat)> 2000 mg/kg OECD 423	LD50 (rat) > 3 170 mg/kg OECD 402	= 500 mg/m³(Rat)4 h
Dioctyltinbis(acetylacetonate) 54068-28-9	LD50 =2500 mg/kg (Rat)	LD50 >2000 mg/kg (Rat)	-

#### EVO-STIK STRONG STUFF SEALANT AND ADHESIVE Supercedes Date: 19-May-2017

Revision Date 27-Jul-2018 Revision Number 1.03

## Section 12: ECOLOGICAL INFORMATION

#### 12.1. Toxicity

Ecotoxicity

Classification is shown in section 2 of this SDS

#### **Component Information**

Data obtained on the component(s) include

Chemical Name	Algae/aquatic plants	Fish	Crustacea	M-Factor
Silane, ethenyltrimethoxy-	EC 50 (72h) > 957 mg/l	L50 (96h) = 191 mg/l	EC50(48hr) 168.7mg/l	
2768-02-7	(Desmodesmus subspicatus)	(Oncorhynchus mykiss)	(Daphnia magna)	
	EU Method C.3			
Bis(2,2,6,6-tetramethyl-4-pi	EC50 72Hr 0.705 mg/l	LC50 (96h) = 5.29 mg/l	LC50 48Hr 8.58 mg/l (Daphnia	
peridyl) sebacate	(Pseudokirchnerella	(Oryzias latipes)	magna)	
52829-07-9	subcapitata)			
Dioctyltinbis(acetylacetonat	-	LC50 (96h) =86 mg/L Fish	EC50 (48h) =58.6 mg/L	
e)		(Static)	Waterflea (Daphnia magna)	
54068-28-9				

#### 12.2. Persistence and degradability

No information available.

#### 12.3. Bioaccumulative potential

No information available.

Partition coefficient No information available

12.4. Mobility in soil

Mobility in soil

### 12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

No information available.

#### 12.6. Other adverse effects

No information available

#### **Endocrine Disruptor Information**

## Section 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

Waste from Residues/Unused Products	Dispose of wastes in an approved waste disposal facility.
Contaminated Packaging	Handle contaminated packages in the same way as the product itself.
European Waste Catalogue	08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

## Section 14: TRANSPORT INFORMATION

Land transport (ADF	R/RID)_
14.1 UN Number	Not regulated

#### EVO-STIK STRONG STUFF SEALANT AND ADHESIVE Supercedes Date: 19-May-2017

14.2 Dropor Chipping Name

Revision Date 27-Jul-2018 Revision Number 1.03

No information available

Not regulated

Air transport (ICAO-TI / IATA-DGR)		
14.1 UN Number	Not regulated	
14.2 Proper Shipping Name	Not regulated	
14.3 Transport hazard class(es	s) Not regulated	
14.4 Packing Group	Not regulated	
14.5 Environmental hazards	Not applicable	
14.6 Special Provisions	None	

## Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

#### Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

## EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical Name	CAS No	Restrictions on use
Diisononyl phthalate	28553-12-0	52[a].

52. Not to be used in toys or childcare articles above 0.1% which can be placed in the mouth by children.

#### EU-REACH (1907/2006) - Annex XIV - List of substances subject to Authorization

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

Persistent Organic Pollutants Not applicable

#### EVO-STIK STRONG STUFF SEALANT AND ADHESIVE Supercedes Date: 19-May-2017

Revision Date 27-Jul-2018 Revision Number 1.03

STEL (Short Term Exposure Limit)

Skin designation

## 15.2. Chemical safety assessment

None

## Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H332 - Harmful if inhaled

- H226 Flammable liquid and vapour
- H373 May cause damage to organs through prolonged or repeated exposure
- H318 Causes serious eye damage
- H400 Very toxic to aquatic life
- H411 Toxic to aquatic life with long lasting effects
- H371 May cause damage to organs
- H317 May cause an allergic skin reaction

#### Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls and personal protection	า
TWA TWA (time-weighted average)	STEL
Ceiling Maximum limit value	*
PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals	S
STOT (RE): Specific target organ toxicity - Repeated exposu	re
STOT (SE): Specific target organ toxicity - Single exposure	
EWC: European Waste Catalogue	

#### Key literature references and sources for data

Classification and labeling data calculated from data received from raw material suppliers

Prepared By	Product Safety & Regulatory Affairs
Revision Date	27-Jul-2018
Indication of changes	
Revision Note	Not applicable.
Training Advice	When working with hazardous materials, regular training of operators is required by law
Further information	No information available

#### This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**