

SAFETY DATA SHEET

LS-X 50ml

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Product name : LS-X 50ml **Product code** : 61016 **Product description** : Not available.

Product type : Solid.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Restricted to professional users.

Material uses : Sealants

1.3 Details of the supplier of the safety data sheet

Supplier Fernox

2 Genesis Business Park

Albert Drive Sheerwater

Woking GU21 5RW

Information contact : +44 (0) 330 100 7750

+44 (0) 330 100 7751

europeanregulatory@macdermid.com

1.4 Emergency telephone number

Supplier

Telephone number : +44 (0) 330 100 7750

Hours of operation 24/7

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Date of issue/Date of revision : 30.11.2016

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Skin Irrit. 2, H315

Ingredients of unknown

toxicity

Ingredients of unknown

ecotoxicity

Classification according to Directive 1999/45/EC [DPD]

Europe



LS-X 50ml 2/15

SECTION 2: Hazards identification

The product is classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification : Xi; R36

Human health hazards: Irritating to eyes.

See Section 16 for the full text of the R phrases or H statements declared above. See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms



Signal word : Warning

Hazard statements: Causes skin irritation.

Precautionary statements

Prevention : Wear protective gloves: < 1 hour (breakthrough time): disposable vinyl. Wash

hands thoroughly after handling.

Response: IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get

medical attention.

Storage: Not applicable.Disposal: Not applicable.Hazardous ingredients: triethoxyoctylsilaneSupplemental label: Not applicable.

elements

2.3 Other hazards

Other hazards which do : None known. not result in classification

SECTION 3: Composition/information on ingredients

Substance/mixture : Mixture

Date of issue/Date of revision : 30.11.2016

	<u>Classification</u>		<u>sification</u>		
Product/ingredient name	Identifiers	%	67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	Туре
Europe					
triethoxyoctylsilane	REACH #: 01-2119972313-39 EC: 220-941-2 CAS: 2943-75-1	≥25 - <50	Xi; R36	Skin Irrit. 2, H315	[1]
			See Section 16 for the full text of the R- phrases declared above.	See Section 16 for the full text of the H statements declared above.	
Austria					
triethoxyoctylsilane	REACH #: 01-2119972313-39 EC: 220-941-2 CAS: 2943-75-1	≥25 - <50	Xi; R36	Skin Irrit. 2, H315	[1]
Belgium					



3/15 LS-X 50ml

SECTION 3: Composition/information on ingredients					
triethoxyoctylsilane	REACH #: 01-2119972313-39 EC: 220-941-2 CAS: 2943-75-1	≥25 - <50	Xi; R36	Skin Irrit. 2, H315	[1]
Bulgaria					
triethoxyoctylsilane	REACH #: 01-2119972313-39 EC: 220-941-2 CAS: 2943-75-1	≥25 - <50	Xi; R36	Skin Irrit. 2, H315	[1]
Croatia					
triethoxyoctylsilane	REACH #: 01-2119972313-39 EC: 220-941-2 CAS: 2943-75-1	≥25 - <50	Xi; R36	Skin Irrit. 2, H315	[1]
Czech Republic					
triethoxyoctylsilane	REACH #: 01-2119972313-39 EC: 220-941-2 CAS: 2943-75-1	≥25 - <50	Xi; R36	Skin Irrit. 2, H315	[1]
Denmark					
triethoxyoctylsilane	REACH #: 01-2119972313-39 EC: 220-941-2 CAS: 2943-75-1	≥25 - <50	Xi; R36	Skin Irrit. 2, H315	[1]
Estonia					
triethoxyoctylsilane	REACH #: 01-2119972313-39 EC: 220-941-2 CAS: 2943-75-1	≥25 - <50	Xi; R36	Skin Irrit. 2, H315	[1]
Finland					
triethoxyoctylsilane	REACH #: 01-2119972313-39 EC: 220-941-2 CAS: 2943-75-1	≥25 - <50	Xi; R36	Skin Irrit. 2, H315	[1]
France					
triethoxyoctylsilane	REACH #: 01-2119972313-39 EC: 220-941-2 CAS: 2943-75-1	≥25 - <50	Xi; R36	Skin Irrit. 2, H315	[1]
Germany					
triethoxyoctylsilane	REACH #: 01-2119972313-39 EC: 220-941-2 CAS: 2943-75-1	≥25 - <50	Xi; R36	Skin Irrit. 2, H315	[1]
Greece					
triethoxyoctylsilane	REACH #: 01-2119972313-39 EC: 220-941-2 CAS: 2943-75-1	≥25 - <50	Xi; R36	Skin Irrit. 2, H315	[1]
Hungary					
triethoxyoctylsilane	REACH #: 01-2119972313-39 EC: 220-941-2 CAS: 2943-75-1	≥25 - <50	Xi; R36	Skin Irrit. 2, H315	[1]
Ireland					

Date of issue/Date of revision : 30.11.2016



LS-X 50ml 4/15

SECTION 3: Composition/information on ingredients					
triethoxyoctylsilane	REACH #: 01-2119972313-39 EC: 220-941-2 CAS: 2943-75-1	≥25 - <50	Xi; R36	Skin Irrit. 2, H315	[1]
Italy					
triethoxyoctylsilane	REACH #: 01-2119972313-39 EC: 220-941-2 CAS: 2943-75-1	≥25 - <50	Xi; R36	Skin Irrit. 2, H315	[1]
Latvia					
triethoxyoctylsilane	REACH #: 01-2119972313-39 EC: 220-941-2 CAS: 2943-75-1	≥25 - <50	Xi; R36	Skin Irrit. 2, H315	[1]
Lithuania					
triethoxyoctylsilane	REACH #: 01-2119972313-39 EC: 220-941-2 CAS: 2943-75-1	≥25 - <50	Xi; R36	Skin Irrit. 2, H315	[1]
Netherlands					
triethoxyoctylsilane	REACH #: 01-2119972313-39 EC: 220-941-2 CAS: 2943-75-1	≥25 - <50	Xi; R36	Skin Irrit. 2, H315	[1]
Norway					
triethoxyoctylsilane	REACH #: 01-2119972313-39 EC: 220-941-2 CAS: 2943-75-1	≥25 - <50	Xi; R36	Skin Irrit. 2, H315	[1]
Poland					
triethoxyoctylsilane	REACH #: 01-2119972313-39 EC: 220-941-2 CAS: 2943-75-1	≥25 - <50	Xi; R36	Skin Irrit. 2, H315	[1]
Portugal					
triethoxyoctylsilane	REACH #: 01-2119972313-39 EC: 220-941-2 CAS: 2943-75-1	≥25 - <50	Xi; R36	Skin Irrit. 2, H315	[1]
Romania					
triethoxyoctylsilane	REACH #: 01-2119972313-39 EC: 220-941-2 CAS: 2943-75-1	≥25 - <50	Xi; R36	Skin Irrit. 2, H315	[1]
Slovakia					
triethoxyoctylsilane	REACH #: 01-2119972313-39 EC: 220-941-2 CAS: 2943-75-1	≥25 - <50	Xi; R36	Skin Irrit. 2, H315	[1]
Slovenia					
triethoxyoctylsilane	REACH #: 01-2119972313-39 EC: 220-941-2 CAS: 2943-75-1	≥25 - <50	Xi; R36	Skin Irrit. 2, H315	[1]
Spain					

Date of issue/Date of revision : 30.11.2016

LS-X 50ml 5/15

SECTION 3: Composition/information on ingredients					
triethoxyoctylsilane	REACH #: 01-2119972313-39 EC: 220-941-2 CAS: 2943-75-1	≥25 - <50	Xi; R36	Skin Irrit. 2, H315	[1]
Sweden					
triethoxyoctylsilane	REACH #: 01-2119972313-39 EC: 220-941-2 CAS: 2943-75-1	≥25 - <50	Xi; R36	Skin Irrit. 2, H315	[1]
Switzerland					
triethoxyoctylsilane	REACH #: 01-2119972313-39 EC: 220-941-2 CAS: 2943-75-1	≥25 - <50	Xi; R36	Skin Irrit. 2, H315	[1]
Turkey					
triethoxyoctylsilane	REACH #: 01-2119972313-39 EC: 220-941-2 CAS: 2943-75-1	≥25 - <50	Xi; R36	Skin Irrit. 2, H315	[1]
United Kingdom (UK)				
triethoxyoctylsilane	REACH #: 01-2119972313-39 EC: 220-941-2 CAS: 2943-75-1	≥25 - <50	Xi; R36	Skin Irrit. 2, H315	[1]

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Type

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

Inhalation

: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Skin contact

: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs. the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get

LS-X 50ml 6/15

SECTION 4: First aid measures

medical attention immediately. Maintain an open airway. Loosen tight clothing such

as a collar, tie, belt or waistband.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training. It

may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

Eye contact : No known significant effects or critical hazards. : No known significant effects or critical hazards. Inhalation

Skin contact : Causes skin irritation.

: No known significant effects or critical hazards. Ingestion

Over-exposure signs/symptoms

Eye contact : Adverse symptoms may include the following:

pain or irritation watering redness

Inhalation : No specific data.

Skin contact : Adverse symptoms may include the following:

> irritation redness

Ingestion : No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

: No specific treatment. Specific treatments

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing

media

: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing

media

: None known.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture : No specific fire or explosion hazard.

Hazardous combustion

products

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide metal oxide/oxides

5.3 Advice for firefighters

Special precautions for fire-fighters

Date of issue/Date of revision : 30.11.2016

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without

Special protective

equipment for fire-fighters

suitable training. Fire-fighters should wear appropriate protective equipment and self-contained

breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.



LS-X 50ml 7/15

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and material for containment and cleaning up

Small spill

: Move containers from spill area. Avoid dust generation. Using a vacuum with HEPA filter will reduce dust dispersal. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

Large spill

: Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor.

6.4 Reference to other sections

: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures

: Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

7.3 Specific end use(s)

Recommendations : Not available. : Not available. **Industrial sector specific** solutions

Date of issue/Date of revision : 30.11.2016



LS-X 50ml 8/15

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

8.1 Control parameters

Occupational exposure limits

Europe

No exposure limit value known.

Austria

No exposure limit value known.

Belgium

No exposure limit value known.

Bulgaria

No exposure limit value known.

Croatia

No exposure limit value known.

Czech Republic

No exposure limit value known.

Denmark

No exposure limit value known.

Estonia

No exposure limit value known.

Finland

No exposure limit value known.

France

No exposure limit value known.

Germany

No exposure limit value known.

Greece

No exposure limit value known.

Hungary

No exposure limit value known.

Ireland

No exposure limit value known.

No exposure limit value known.

Latvia

No exposure limit value known.

Lithuania

No exposure limit value known.

Netherlands

No exposure limit value known.

Norway

No exposure limit value known.

Poland

No exposure limit value known.

Date of issue/Date of revision : 30.11.2016



LS-X 50ml 9/15

SECTION 8: Exposure controls/personal protection

Portugal

No exposure limit value known.

Romania

No exposure limit value known.

Slovakia

No exposure limit value known.

Slovenia

No exposure limit value known.

Spain

No exposure limit value known.

Sweden

No exposure limit value known.

Switzerland

No exposure limit value known.

Turkey

No exposure limit value known.

United Kingdom (UK)

No exposure limit value known.

procedures

Recommended monitoring: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

Derived effect levels

No DELs available.

Predicted effect concentrations

No PECs available.

8.2 Exposure controls

Appropriate engineering controls

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Individual protection measures

Date of issue/Date of revision : 30.11.2016

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles. Recommended: safety glasses with side-shields

LS-X 50ml 10/15

SECTION 8: Exposure controls/personal protection

Skin protection

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. < 1 hour (breakthrough time): disposable vinvl

Body protection

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: None assigned.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

: Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Recommended: None assigned.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state Solid. [paste] Colour Clear. White. **Odour** Acetic acid. Not available. Hq Melting point/freezing point 100°C

Initial boiling point and

boiling range

Not available.

Flash point [Product does not sustain combustion.]

Upper/lower flammability or

explosive limits

: Not available.

Relative density Not available.

Solubility(ies) : Insoluble in the following materials: cold water and hot water.

Partition coefficient: n-octanol/ : Not available.

water

Auto-ignition temperature Not available.

VOC content 0 % (w/w)

9.2 Other information

No additional information.



LS-X 50ml 11/15

SECTION 10: Stability and reactivity

: No specific test data related to reactivity available for this product or its ingredients. 10.1 Reactivity

10.2 Chemical stability : The product is stable.

10.3 Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid : No specific data.

10.5 Incompatible materials: No specific data.

10.6 Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Conclusion/Summary : Not available.

Acute toxicity estimates

Not available.

Irritation/Corrosion

Conclusion/Summary : Not available.

Sensitiser

Conclusion/Summary : Not available.

Mutagenicity

Conclusion/Summary : Not available.

Carcinogenicity

Conclusion/Summary : Not available.

Reproductive toxicity

: Not available. **Conclusion/Summary**

Teratogenicity

: Not available. **Conclusion/Summary** Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on likely Not available. routes of exposure

Potential acute health effects

Inhalation : No known significant effects or critical hazards. : No known significant effects or critical hazards. Ingestion

Skin contact : Causes skin irritation.

Eye contact : No known significant effects or critical hazards. Symptoms related to the physical, chemical and toxicological characteristics

Inhalation : No specific data.

Date of issue/Date of revision : 30.11.2016



LS-X 50ml 12/15

SECTION 11: Toxicological information

Ingestion : No specific data.

Skin contact : Adverse symptoms may include the following:

> irritation redness

Eye contact : Adverse symptoms may include the following:

pain or irritation

watering redness

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate

: Not available.

effects

Potential delayed effects: Not available.

Long term exposure

Potential immediate

: Not available.

effects

Potential delayed effects: Not available.

Potential chronic health effects

Not available.

Conclusion/Summary : Not available.

General : No known significant effects or critical hazards. : No known significant effects or critical hazards. Carcinogenicity Mutagenicity : No known significant effects or critical hazards. : No known significant effects or critical hazards. **Teratogenicity Developmental effects** : No known significant effects or critical hazards. **Fertility effects** : No known significant effects or critical hazards.

Other information : Not available.

SECTION 12: Ecological information

12.1 Toxicity

Conclusion/Summary : Not available.

12.2 Persistence and degradability

Conclusion/Summary : Not available.

12.3 Bioaccumulative potential

Not available.

12.4 Mobility in soil

Soil/water partition : Not available.

coefficient (Koc)

Mobility : Not available.

12.5 Results of PBT and vPvB assessment

Date of issue/Date of revision : 30.11.2016

PBT : Not applicable. **vPvB** : Not applicable.

12.6 Other adverse effects : No known significant effects or critical hazards.



LS-X 50ml 13/15

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product

Methods of disposal

- The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
- **Hazardous waste**
- Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 91/689/EEC.

European waste catalogue (EWC)

Waste code	Waste designation
16 03 06	organic wastes other than those mentioned in 16 03 05

Packaging

Methods of disposal

: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions

: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	IMDG	IATA
14.1 UN number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.
Additional information	-	-	-

user

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Date of issue/Date of revision : 30.11.2016

: Not available.



14/15 LS-X 50ml

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions : Not applicable.

on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Other EU regulations

Europe inventory : All components are listed or exempted.

National regulations

Austria Belgium Bulgaria Croatia

Czech Republic

Denmark Estonia Finland France Germany

Hazard class for water : 1 Appendix No. 4

Greece Hungary <u>Ireland</u> **Italy Latvia**

Lithuania

Netherlands

Norway

Poland

Portugal

Romania

Slovakia

Slovenia

Spain

Sweden

Switzerland

Turkey

United Kingdom (UK)

15.2 Chemical safety assessment

: This product contains substances for which Chemical Safety Assessments are still required.

LS-X 50ml 15/15

SECTION 16: Other information

Date of printing 10.12.2016 Date of issue/ Date of : 30.11.2016

revision

Date of previous issue : 29.11.2016

2.12 **Version**

Notice to reader

Indicates information that has changed from previously issued version.

Abbreviations and : ATE = Acute Toxicity Estimate

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. acronyms

1272/2008]

DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement PNEC = Predicted No Effect Concentration RRN = REACH Registration Number

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification **Justification**

Skin Irrit. 2, H315 Calculation method

Europe

Causes skin irritation. Full text of abbreviated H : H315

statements

Full text of classifications : Skin Irrit. 2, H315 SKIN CORROSION/IRRITATION - Category 2

[CLP/GHS]

Full text of abbreviated R : R36- Irritating to eyes.

phrases

Full text of classifications : Xi - Irritant

Date of issue/Date of revision : 30.11.2016

IDSD/DPD1

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Fernox SDS CLP Europe

